

PARTICIPANT INFORMATION SHEET: COV002

Investigating a Vaccine Against COVID-19

“A phase 2/3 study to assess the efficacy and safety of a recombinant adenovirus-based vaccine against Coronavirus Disease (COVID-19)”

IMPORTANT: If you develop a fever or cough, shortness of breath or loss of sense of smell or taste or become unwell then you must contact the study team on 01633 238480 for advice before attending any visit.

Participation could really make a difference during a public health emergency.

We would like to invite you to take part in our COVID-19 vaccine study. Before you make a decision, it is important you take the time to understand why we are doing this research and what it would involve. Please read the following information carefully and consider discussing it with friends and relatives.

What is the purpose of this research study?

The purpose of this study is to test how well a new vaccine works against COVID-19.

A new virus causing respiratory disease emerged in Wuhan, China in December 2019 and has since rapidly spread to many other countries around the world, despite unprecedented containment efforts. The virus is part of the Coronavirus family which may cause respiratory infections ranging from the common cold to more severe diseases. This recently discovered coronavirus causes COVID-19.

Common symptoms of COVID-19 include fever, tiredness, and dry cough. Whilst about 80% of infected people have no or mild symptoms and will recover from the disease without needing special treatment, 1 in every 6 people who gets COVID-19 becomes seriously ill. Older people and those with underlying medical problems are more likely to develop serious illness. Thousands of deaths have been reported so far.

The WHO declared the COVID-19 epidemic a Public Health Emergency of International Concern on 30th January 2020 and a pandemic on 11th March 2020. This means that the epidemic is expected to spread to all countries of the world and infect 50-80% of people. There are no currently licensed vaccines for COVID-19. Vaccines are the most cost effective way of controlling outbreaks and the international community have stepped-up their efforts towards developing one against COVID-19.

This study will enable us to assess how well people across a broad range of ages may be protected from COVID-19 with this new vaccine called ChAdOx1 nCoV-19. It will also give us

valuable information on safety aspects of the vaccine and how well participants' immune systems respond to immunisation with the vaccine.

Summary of the study

In total this study will enrol up to 12,390 adults and children across the UK.

- Adult participants will be randomised to receive one or two doses of either the *ChAdOx1 nCoV-19* or a licensed vaccine (MenACWY) that will be used as a 'control' for comparison
- Participants in some groups will be invited to receive a second (booster) dose of the vaccine
- Between 6 and 12 blood tests will be taken over the course of a year to check if there are any problems and to look at immune responses to the vaccine
- For some participants there will be a diary to complete for up to 28 days following vaccination
- There is a weekly questionnaire that monitors your and members of your household's exposure to COVID-19
- In order to monitor for exposure to COVID-19 in those who do not develop symptoms we will perform weekly nasal swabs or saliva collection
- The study will take a year to complete (from the time the final dose of vaccine is given)

What is the vaccine we are testing?

The vaccine we are testing in this research study is called *ChAdOx1 nCoV-19*.

ChAdOx1 nCoV-19 is made from a virus (ChAdOx1), which is a weakened version of a common cold virus (adenovirus) from chimpanzees that has been genetically changed so that it is impossible for it to grow in humans. To this virus we have added genes that make proteins from the COVID-19 virus (SARS-CoV-2) called Spike glycoprotein (S), which play an essential role in the infection pathway of the SARS-CoV-2 virus. By vaccinating with ChAdOx1 nCoV-19, we are hoping to make the body recognise and develop an immune response to the Spike protein that will help stop the SARS-CoV-2 virus from entering human cells and therefore prevent infection. Vaccines made from the ChAdOx1 virus have been given to more than 320 people to date, and have been shown to be safe and well tolerated, although they can cause temporary side effects which are explained below (see section *Are there any risks from taking part in the trial?*).

The vaccine ChAdOx1 nCoV-19 was first given to 500 healthy adults in Oxford in April 2020 as part of a separate safety trial (COV001). Including in this current trial (COV002), the vaccine has now been given to over 5000 people in total. The most up to date recruitment figures will be provided at the first visit.

We are not sure what dose of vaccine is most likely to be protective against COVID-19 disease. Vaccine doses are measured using standard scientific test methods. The vaccine received by the first approx. 1500 participants in the current COV002 trial was based on a dose measured using one type of scientific test (dose 1 in visit schedules below). Participants enrolled into Groups 4c, 5b, 5c, 5d, 6a, 6b will have a dose measured using a different type of scientific test

(dose 2 in visit schedules below) which will give a higher dose of vaccine similar to the dose used in our earlier COV001 trial.

We are interested in evaluating both doses in the trial so that we can provide the data needed to inform policymakers on how to use the vaccine, if the vaccine is shown to work. This may help us understand which dose is the most effective.

Although during a pandemic it would be preferable to give a single dose of vaccine, data from the first COVID-19 vaccine trial suggests that 2 doses of vaccine stimulates the immune system more than a single dose. However, we don't know how much of an immune response is needed for protection. We have invited participants in Groups 4 and 6 to receive an optional further (booster) vaccine. We are now inviting participants in groups 1a, 2a and 5a, who have not already received two doses of vaccine to have an optional booster dose.

Participants will receive the same booster vaccine type as they received for their first vaccine. Therefore participants who received the ChAdOx1 nCoV-19 vaccine will receive a booster dose of ChAdOx1 nCoV-19 that will be similar to the dose used in the earlier COV001 trial. Participants who received MenACWY as their initial vaccine will receive a MenACWY booster dose which is the same as their first dose. All participants will remain blinded to which vaccine they receive at the point of booster vaccination. Participants who choose to receive a booster dose will need to stay in the study and have further visits for up to 15 months in total.

We don't know which dose, if any, will provide protection. Although Group 1, 2, 4a, 4b and 5a received a lower dose, this does not mean that it will be better or worse than the higher dose, and we will study the immune response carefully to identify any differences.

A group of up to 60 volunteers who previously received a vaccine containing ChAdOx1 in studies, will be invited to take part in group 11. Additionally, a group of up to 60 volunteers that are living with HIV, will be invited to take part in group 12 (this is only possible in some sites). We would specifically like to investigate the immune response to the ChAdOx1 nCoV-19 vaccine in those individuals. These individuals will receive two doses of ChAdOx1 nCoV-19 vaccine, 4 – 6 weeks apart and will not be blinded.

What is the control (comparison) vaccine, MenACWY?

In this study we will be using a licensed vaccine against group A, C, W and Y meningococcus (MenACWY) as an 'active control' vaccine, to help us understand participants' response to ChAdOx1 nCoV-19. MenACWY has been given routinely to teenagers in the UK since 2015, and protects against one of the most common causes of meningitis and sepsis. This vaccine is also given as a travel vaccine for high risk countries. We will be using one of the two licensed versions of MenACWY, either Nimenrix or Menveo. Volunteers who have had these vaccines previously can still take part in this study.

Given we don't expect MenACWY to offer any protection against COVID-19, by comparing COVID-19 disease rates, immune responses and post-vaccination symptoms between participants receiving ChAdOx1 nCoV-19 and MenACWY we will get a better understanding of how well ChAdOx1 nCoV-19 is working.

Do I have to take part?

No. It is up to you to decide whether or not to take part. Your decision will not result in any penalty, or changes to your standard medical care. If you do decide to take part, you will be given this information sheet to keep (or be sent it electronically) and will be asked to sign a consent form. You are free to withdraw at any time and without giving a reason, but you may be asked to allow an extra visit for a follow up appointment for safety reasons.

Can I take part?

Adults that are aged 18 - 55 years are able to take part in **group 4, 5a, 5b, 5c, 5d, 6 or 11**. We have completed enrolment into groups 4 and 5a, 5b, 5c and 6. In order to be enrolled in the study;

- you must be willing to allow the investigators to discuss your medical history with your General Practitioner (GP)
- for females of childbearing potential only, willingness to practice continuous effective contraception during the study and a negative pregnancy test on the day(s) of screening and vaccination
- you agree to refrain from blood donation during the course of the study

You cannot take part in this study if you:

- are taking part in a COVID-19 drug trial
- are taking part in a serological study where you are informed if there is evidence of SARS-CoV-2 in your blood
- have any vaccine in the 30 days before or after this study vaccine. The exception to this is the seasonal influenza vaccine. If you are offered this by your GP or your place of work, we ask that you have this at least 7 days before or after you receive the study vaccine.
- have previously had other similar vaccines that might impact on understanding your results such as adenovirus vectored vaccines or coronavirus vaccines (with the exception of group 11)
- have received immunoglobulins or blood products in the 3 months before having the study vaccine
- have immunosuppression or immunodeficiency
- have a history of angioedema

- have a history of anaphylaxis
- have a current diagnosis or are having treatment for cancer
- have a history of serious psychiatric condition likely to affect participation in the study
- have a bleeding disorder
- continuously take anticoagulants, such as coumarins and related anticoagulants (i.e. warfarin) or novel oral anticoagulants (i.e. apixaban, rivaroxaban, dabigatran and edoxaban)
- have suspected or known current alcohol or drug dependency
- are pregnant, breast feeding or intend to become pregnant during the study
- have severe and/or uncontrolled cardiovascular disease, respiratory disease, gastrointestinal disease, liver disease, renal disease, endocrine disorder and neurological illness
- have a history of laboratory confirmed COVID-19 or a blood test shows that you have had contact with the COVID-19 virus (except groups 5d, 9, 10 and 11)

You cannot take part in group 4 or 6 if;

- you have a history of allergic disease or a reaction that could be made worse by paracetamol

If you were to develop symptoms of COVID-19, we will ask you to attend for a visit. If you would rely on public transport to attend this visit, this may put other people at risk, so we would not be able to enrol you in the study.

If you are unclear whether you are eligible to be involved in the study you can contact the study team who will be able to advise you.

What will happen if I decide to take part?

If you decide you would like to take part in this trial there is a short online questionnaire to complete to check that you are able to take part.

There will be a screening visit before the vaccination day.

Screening Visit – 1.5 hours (Listen to a consent presentation, ask any questions, sign a consent form, ID check, medical history, physical examination if required, temperature check, blood test and urine sample pregnancy test for females)

We will ask you to watch a video presentation of the information about the study to ensure you understand what to expect by taking part, the risks involved and what side-effects you might expect to experience. Then you will have opportunity to ask any questions of a member of the research team before signing a consent form, if you decide you would like to take part. You can of course expect to receive full and comprehensive answers to any questions you may have.

You will be asked to agree to allow the research team to contact your own Doctor (GP) to make sure there are no medical reasons why you should not participate.

Having signed the appropriate forms, a doctor will ask questions about your current health and discuss details of your medical history, may perform a physical examination which could involve listening to your heart and lungs with a stethoscope, examining your abdomen as well as feeling for lymph nodes around your neck and in your armpits. Your height, weight and temperature will be recorded and if necessary your blood pressure and pulse may be recorded.

A blood sample may be taken to check if you have had contact with the COVID-19 virus. If results indicate you have, you will not be able to continue with the study. It is important to note that this is a research test that has not been validated for diagnostic purposes, so results cannot be used to provide certainty of prior infection nor of protection from future infection.

If you are in group 5 additional blood tests will be also be carried out which include tests for anaemia, tests to see how your liver and kidneys are functioning and tests to see if you have been exposed to HIV (the virus that leads to AIDS), Hepatitis B or Hepatitis C (viruses which affect the liver). In the event of you testing positive to any of these infections, we would inform you of the result and, with your permission, offer referral for medical review, confirmation of the result, and treatment if necessary.

Sometimes minor abnormalities can be found with the blood tests. In this situation you may be asked to return for a repeat blood test so that it can be checked again. If the test results are still abnormal you may not be able to participate and we will ask your permission to contact your GP or a specialist doctor, whichever is the most appropriate, to ensure the abnormality will be followed up.

Once all your test results have been checked and no problems have been highlighted, you will be contacted to arrange a date to start the trial.

Vaccination Visits - 1.5 hours (vital signs, blood test, receive vaccine, up to 30 minutes observation in clinic after the vaccine)

If you qualify to be in the trial, we will ask you to attend on the vaccination day (Day 0). We will ask you a few questions to check there have been no new problems since screening. We will check your temperature and we will take blood samples. You will be randomly allocated to receive ChAdOx1 nCoV-19 or MenACWY and if you are in group 5d, you will receive 2 doses of either vaccine.

We will give you an injection with ChAdOx1 nCoV-19 or MenACWY into your arm and we will cover the vaccine site with a dressing. We will need to keep an eye on you in the waiting room of the department for 15 – 30 minutes after the vaccine. After this period the dressing will be removed and the injection site inspected. Overall the vaccination visit will take about an hour and a half.

Boosters

Group 4b: We will invite 100 participants from Group 4 to receive a booster dose of the vaccine 28 days after the first dose. This is optional, you do not have to agree to receive this dose.

Groups 4c, 5a and 6b: All participants previously enrolled into groups 4, 5a and 6, who have not already received a second dose of the vaccine, will be invited to attend for a booster of the vaccine that was originally given. You will not know which vaccine you have received.

If you developed COVID-19 symptoms and have had a positive PCR test since the first vaccination, you can only receive a booster dose after a minimum 4 weeks interval from your PCR positive test, provided your symptoms have significantly improved. The decision to proceed with booster vaccinations in those cases will be at clinical discretion of the investigators. For participants who are asymptomatic and have a positive PCR test a minimum of 2 weeks from PCR positivity will be required before boosting.

If you decide to have the second dose of vaccine, you will be asked some brief questions about your medical history. We will give the vaccine into your arm and cover the site with a dressing. After 15 minutes of observation the dressing will be removed and that will be the end of the visit. The visit will take between 45 minutes and 1 hour.

After receiving the booster, there will be additional follow up visits as outlined in the diagrams below.

Electronic Symptom Diary “e-diary” – Completed at home by participant

Group 5, 11 and a subset of Group 4 and 6: We will give you a thermometer, tape measure and an E-diary account to record all your symptoms and your temperature every day for 7 days after vaccination.

Group 5 and 11: After these 7 days we will ask you to record if you feel unwell or take any medications over the next 3 weeks. The research staff will monitor the E-Diary and may phone you to ask for more information. You will also be asked to record in the diary any serious medical illnesses or hospital visits you may have over the course of the study.

Paracetamol – Group 4 and 6 only

If you are in group 4 or 6 we will ask you to take paracetamol for 24 hours after the vaccination. Paracetamol can reduce fever and pain after vaccination. If you have been asked to complete a diary there will be space to record the time you took the paracetamol.

Weekly survey

We will send you a survey each week by email or text to enquire about COVID-19 symptoms of you and your household contacts for the duration of the study. If you work in a clinical area you will not be asked to complete this survey.

Follow-up visits – 30 minutes (vital signs, blood tests, and check for side effects or new health problems)

Following vaccination, we will ask you to attend a series of short follow-up visits to ensure everything is fine, to check your symptoms, the injection site and to have blood tests done.

Weekly COVID-19 swabbing – 2 minutes plus time for posting

In order to monitor for exposure to COVID-19, in those who do not develop symptoms, we will ask you to collect weekly throat/nasal swabs or saliva samples. These samples will be processed as part of the ongoing community testing programme conducted by the Department of Health and Social Care (DHSC). You will be given instructions about how to collect these samples yourself and how to send them to the laboratory for testing. For further information on how the DHSC will handle data from your weekly swabs, please see <https://www.test-for-coronavirus.service.gov.uk/register-kit>

If the results of your swab indicate that you have been exposed to COVID-19 or if you develop symptoms of COVID-19 disease, we may ask your permission to collect a stool sample. You would receive instructions for how to collect the sample, how to use the packaging provided and how to arrange a courier to collect the sample.

Note: due to the high number of planned volunteers in this study, visits may take longer than the estimates given here

During the course of the trial you may be asked to attend for an extra visit, for example, if a blood test needs to be repeated.

We may ask to photograph your vaccination site. You will not be identifiable in these photographs, as only the vaccination site and your unique trial number will be visible. These photographs may be shown to other professional staff, used for educational purposes, or included in a scientific publication.


Visit schedules

Group 5 Booster

The picture below represents the visit schedule for participants in group 5 being invited to receive a booster dose

Consent | Vaccination – dose 2
Blood test | Pregnancy Test

Ages 18 years + : Group 5a two dose




Group 4 and 6 Booster

The picture below represents the visit schedule for participants in group 4 and group 6 invited to receive a booster dose

Consent | Vaccination – dose 2
Blood test | Pregnancy Test

Ages 18 years + : Group 4c and 6b two dose




* Not all participants will complete a diary

The picture below represents the visit schedule for 100 participants in group 4 who already had a booster of the vaccine.

Consent Vaccination – dose 1
Blood test Pregnancy Test

Ages 18 years + : Group 4 b two dose



Group 4 single dose

The pictures below represent the visit schedule for participants that have already had a single vaccination in group 4:

Consent Vaccination – dose 1
Blood test Pregnancy Test

Ages 18 years + : Group 4 a single dose




Group 5

The picture below represents the visit schedule for participants invited to group 5d:

Consent Vaccination – dose 2
Blood test Pregnancy Test

Ages 18 years + : Group 5d two dose



The pictures below represent the visit schedules for participants that have already had a vaccination in group 5a, 5b and 5c:

Consent Vaccination – dose 1
Blood test Pregnancy Test

Ages 18 – 55 years Group 5a



Consent Vaccination – dose 2
Blood test Pregnancy Test

Ages 18 – 55 years Group 5b and 5c




Group 6

The picture below represents the visit schedules for participants that have already had a vaccination in group 6 (not all participants will have a nasal SAM swab taken):

Consent Vaccination – dose 2
Blood test Nasal SAM swab Pregnancy Test


Ages 18 years + : Group 6 single dose



Group 11

The picture below represents the visit schedule for participants being invited to take part in group 11

Age 18 – 55 years: Group 11 two dose



Considerations before taking part in this study

Blood Donation: Under current UK regulations, participants will not be able to donate blood during the course of the study.

Private Insurance: If you have private medical or travel insurance you are advised to contact your insurance company before participating in this trial, as involvement may affect the cover provided.

What should I avoid during the trial?

You should not donate blood during the trial or take part in other studies that involve blood sampling or the administration of drugs or vaccines, including trials testing other interventions for COVID-19. If during the trial you require any vaccinations for health, travel, or occupational reasons, you should inform the Investigators beforehand. We will discuss with you the most appropriate time to receive them.

Are there any risks from taking part in the trial?

The risks and side effects of the proposed vaccinations and trial procedures are detailed here:

1. Blood samples

Drawing blood may cause slight pain and occasionally bruising at the site where the needle enters. Rarely, people feel light-headed or even faint. During the course of the trial we will need to take between 5 (approximately 1 teaspoon) and 60ml of blood (approximately 4 tablespoons) at a single visit. The total amount we will take over the period of the trial (if you do not develop symptoms of COVID-19) will depend on your group;

Group 5: around 540 ml

Groups 4 and 6: around 60-480 ml

Group 11: around 35 - 420 ml

If abnormal results or undiagnosed conditions are found during the course of the study these will be discussed with you and, if you agree, your GP (or a hospital specialist, if more appropriate) will be informed. Any newly diagnosed conditions will be looked after within the NHS. Participants will not be informed of the results of their levels of immunity against the COVID-19 virus.

2. *Vaccination Side Effects: ChAdOx1 nCoV-19 and MenACWY*

It is likely that you will experience some symptoms at the vaccination site as well as general symptoms due to vaccination. It is important to remember ChAdOx1 nCoV-19 is in the early stage of development and the amount of safety data available are limited. For this reason, there is a chance you could experience a side effect that is more severe than what is described below, or that has not been seen before.

Other ChAdOx1 viral vector vaccines have previously been administered in many other clinical trials. We can predict from past experience what the symptoms should be like with this new vaccine. We expect that symptoms will be mild in strength most of the time, although symptoms may also be moderate or severe. All symptoms should resolve completely within a few days. The chimpanzee adenovirus has been weakened so that it cannot grow in human cells. The SARS-CoV-2 protein it carries cannot cause COVID-19 disease. The MenACWY vaccines are licensed vaccines, meaning they have been approved for use in the general population. They have been given to many hundreds of thousands of people, with no safety concerns.

a) *Local Reactions at vaccination site*

Following vaccination with either the *ChAdOx1 nCoV-19* or MenACWY vaccine you may experience some discomfort at the injection site as the vaccination is given. This usually gets better within 5 minutes. Later, you might experience pain resulting in some difficulty moving your arm, but this should resolve within a few days. In addition to pain, you may experience redness, swelling, itchiness or warmth at the injection site.

b) *General reactions*

During the first 24-48 hours after vaccination you may experience flu-like symptoms such as muscle aches, joint aches, feverishness, chills, headache, nausea, tiredness and/or feeling generally unwell. These symptoms should usually resolve within a few days and can be experienced whichever vaccine you are given.

c) *Serious Reactions*

With any vaccination there is a risk of rare serious adverse events, such as an allergic reaction. These may be related to the immune system or to the nervous system. Severe allergic reactions to vaccines (anaphylaxis) are rare, but can be fatal. In case of this unlikely event, medication for treating allergic reactions is available and the investigators are appropriately trained in the management of anaphylaxis. Reactions in the nervous system are also extremely rare, but can include an illness called Guillain-Barré syndrome, a condition in which people can develop severe weakness and can be fatal. These adverse events have not

previously been seen following administration of similar vaccines using ChAdOx1 as a viral vector. In the current trial we have undertaken safety reviews when volunteers in the trials of ChAdOx1 nCoV-19 developed unexplained neurological symptoms including changed sensation or limb weakness, and have paused the study while a safety review took place. After independent review, these illnesses were either considered unlikely to be associated with the vaccine or there was insufficient evidence to say for certain that the illnesses were or were not related to the vaccine. In each of these cases, after considering the information, the independent reviewers recommended that vaccinations should continue. Close monitoring of the affected individuals and other participants will be continued.

With any new medicine or vaccine there is always a possibility of an unexpected side effect. You will be provided with a 24h study mobile number. If you experience unexpected events or become in any way concerned you can use this to contact one of the study doctors at any time. We will ask you to record these symptoms in the E-Diary too.

Theoretical Concerns – could immunisation with ChAdOx1 nCoV-19 make COVID-19 disease worse?

In the past, experimental vaccines were developed by different research groups against the SARS virus, which is in the same family as the COVID-19 virus and also infects the lungs. In some cases, animals that received certain types of experimental SARS vaccines appeared to develop *more severe* lung inflammation when they were later infected with SARS compared with unvaccinated animals. There has also been one report of this increased disease associated inflammation being seen in a mouse study for a vaccine against MERS-CoV (another related virus) but this has not been observed in any other reported animal studies. These problems were not seen in animal studies with ChAdOx1-MersCoV vaccine, which is very similar to the vaccine being used in this study, when the animals were exposed to the wild virus. Studies of the ChAdOx1 nCoV-19 vaccine in animals are currently ongoing but: *we do not yet know whether this could also be a side effect of exposure to the pandemic COVID-19 virus in this COVID-19 vaccine study, whether this effect could occur in humans or whether this might lead to more severe COVID-19 disease in some cases.*

What are the advantages of taking part?

You will not necessarily gain any direct benefit from the trial, but the information gained from the study might help to develop an effective vaccine against COVID-19. If in the future you become exposed to COVID-19, **you should not assume that the vaccine you received in this study will give you any protection against COVID-19.** Participants who receive MenACWY will reduce their risk of meningitis and sepsis caused by group A, C, W or Y meningococcus.

What should you do if you believe you may have developed COVID-19 during the study?

If you believe that you may have COVID-19 while enrolled in the study then you must immediately inform the study team on 01633 238480. Do not attend the clinical trial site unless you have been informed to by the study team. If you are at all unsure please contact the study team.

When calling to inform the study team that you may have COVID-19 we will arrange for a COVID-19 testing visit. At this visit we will use a nose and/or throat swab to collect a sample and check if you have the virus or not. We will also be taking a blood sample at this stage for safety and immunology monitoring. You may be asked to attend a visit around 3-5 days later to collect a second swab or to collect an additional self-swab at home. We may see you again 7 days later to take a blood sample for safety and immunology monitoring if either swab was positive for COVID-19.

If you are unwell and unable to contact the study team directly then contact the NHS 111 service or phone 999 if you are severely unwell.

If you have a positive swab performed outside the study or are diagnosed as having COVID-19 disease while in the study then you must contact the study team and should not attend the clinical trial site until the trial team have informed you it is safe to do so. We would also contact you regularly to check your health.

If you are admitted to hospital during the study then you should inform the medical or nursing staff that you are taking part in this trial. We will provide a contact card for you to give to these staff which will have a link to a website for them to fill in details about your admission.

It is important that you understand that if you do become seriously unwell and need to be admitted to hospital, the standard referral routes within the NHS will be used. Participants will be treated the same way as the general population in this context of the COVID-19 pandemic. We are unable to offer extra medical support outside what is available within the NHS for the general public.

Will I be paid for taking part in this trial?

If you are in group 4, 6 or 11, you will not receive any compensation for your time, travel or inconvenience of procedures.

If you are in group 5 because of the intensity of the visit schedule, once enrolled you will be compensated for your time, the inconvenience of having blood tests and procedures, and your travel expenses. The total amount compensated will be approximately between **£390 - 555**.

Trial reimbursement will be made by bank transfer within six weeks of your completion of the trial, so please bring your bank details with you to your screening visit (no cash payments can be made). Should you decide to withdraw from the trial before it is completed, payment will be *pro rata* (you will receive a proportion of the total amount).

What if new information becomes available?

Sometimes during the course of a trial, new information relevant to the trial becomes available. If this happens, we will tell you about it and discuss whether you want to, or should, continue in the study. If you decide to continue to take part, you will be asked to sign an updated consent form. On receiving new information, we may consider it to be in your best interests to withdraw you from the study. Your participation in this study may also be stopped at any time by the study doctor or the Sponsor for other reasons.

What will happen if I don't want to carry on with the trial?

If, at any time after agreeing to participate, you change your mind about being involved with this study you are free to withdraw without giving a reason. If you withdraw we would not usually perform any more research procedures, although occasionally we might need to offer you a follow up visit for safety purposes, for example to check the injection site or a blood result. Your decision will not result in any penalty. Unless you state otherwise, any blood taken whilst you have been in the study will continue to be stored and used for research as detailed above. You are free to request that your blood samples are destroyed at any time during or after the study. If you choose to withdraw from the trial, your standard medical care will not be affected.

What if something goes wrong?

The investigators recognise the important contribution that volunteers make to medical research, and make every effort to ensure your safety and well-being. The University of Oxford, as the research Sponsor, has arrangements in place in the unlikely event that you suffer any harm as a direct consequence of your participation in this trial.

In the event of harm being suffered, while the Sponsor will cooperate with any claim, you may wish to seek independent legal advice to ensure that you are properly represented in pursuing any complaint. The study doctor can advise you of further action and refer you to a doctor within the NHS for treatment, if necessary. NHS indemnity operates in respect of the clinical treatment which may be provided if you needed to be admitted to hospital.

Complaints statement

If you wish to complain about any aspect of the way in which you have been approached or treated during the course of this study, you should contact the research investigators who will do their best to address your concerns by sending us an email to COVIDvaccinefindoutmore@wales.nhs.uk. Alternatively you may contact the University of Oxford Clinical Trials and Research Governance (CTRG) office on 01865 616480 or the head of CTRG, email ctrg@admin.ox.ac.uk

Would my taking part in this trial be kept confidential?

All information that is collected about you during the course of the research will be coded with a study number and kept confidential. The information is available to the trial team, authorised collaborators, ethical review committees, Aneurin Bevan University Health Board, government regulatory agencies and the Sponsor (University of Oxford), who can ask to access the trial data. Responsible independent monitors may be given access to data for monitoring and/or audit of the trial to ensure we are complying with regulations. They are bound by the same confidentiality rules. The electronic diary is sent to you by email to complete online. Your email address will be stored on a secure University of Oxford server, access to the diary system is password controlled and only study site staff and sponsor IT management can view the email address.

However, any samples collected for the purposes of COVID-19 diagnosis and weekly swabbing might be sent to reference labs in the UK alongside your personal data. For the purposes of

centralising the analysis of COVID-19 diagnosis and weekly surveillance results, the DHSC and NHS digital will send the results to the Sponsor (University of Oxford) who will match this with information sent to them by your hospital/clinic and this may include your personal data including identifying contact information and medical records. If you are diagnosed with COVID-19 during the course of the study then we must pass your details on to the local health protection team as COVID-19 is a “notifiable disease” and this is legal requirement in the UK.

If you are diagnosed with COVID-19 during the course of the study then the sample processing lab will inform your local Public Health authority as COVID-19 is a “notifiable disease” and this is legal requirement in the UK. This may mean your personal information (test results, name, contact details) from your health records will be shared with Public Health either by the processing lab or the study site. You may also be contacted by the NHS Test and Trace service.

If you consent to collect a stool sample when required; the stool sample (in an anonymised form) will be collected from you by a courier and processed in a laboratory by International Health Management Associates (IHMA), an accredited central laboratory. The sample will then be shipped for analysis by Astra Zeneca in a laboratory in the US. You would need to provide your name and address to the courier company.

Every effort will be taken to maintain confidentiality. Information about you may be stored electronically on a secure server, and paper notes will be kept in a key-locked filing cabinet or restricted access office at St Woolos Hospital or at the Centre for Clinical Vaccinology and Tropical Medicine (CCVTM), University of Oxford. Trial results will be published in a scientific journal but nothing that could identify you will be included in any report or publication.

What will happen to my data?

Data protection regulation requires that we state the legal basis for processing information about you. In the case of research, this is ‘a task in the public interest.’ The University of Oxford is the data controller and is responsible for looking after your information and using it properly.

We will be using information from you and your medical records in order to undertake this study and will use the minimum personally-identifiable information possible. We will keep identifiable information about you such as contact details for a minimum of 5 years after the study has finished. The need to store this information for longer in relation to licensing of the vaccine will be subject to ongoing review. De-identified research data will be stored indefinitely. If you have agreed that samples can be retained for future research then your personally identifiable information will be kept with restricted access solely for the purposes of sample management for a minimum of five years after the last sample has been either used or disposed of in order to meet regulatory requirements. Samples will be provided for future research only in a form that does not identify you.

We store research data securely at the University of Oxford indefinitely following removal of identifiable information. If you agree to your details being held to be contacted regarding future research, we will retain a copy of your consent form until such time as your details are removed from our database but will keep the consent form and your details separate.

The study team will use your name and contact details, to contact you about the research study, and make sure that relevant information about the study is recorded for your care, in relation to your health during the study and to oversee the quality of the study.

If you are diagnosed with COVID-19 during the course of the study your personal information (test results, name, contact details) from your health records will be shared with Public Health either by the processing lab or the study site. You may also be contacted by the NHS Test and Trace service.

At the completion of the study, unless you consent otherwise (e.g. if you request to be informed of other trials), your personal details will not be used to contact you other than exceptional circumstances concerning your safety. If you consent to take part in another study carried out by the Aneurin Bevan University Health Board, personal information and medical information including blood test results may be accessed to avoid unnecessary repetition.

Group 5: Your bank details will be stored for 7 years in line with university financial policy.

Data protection regulation provides you with control over your personal data and how it is used. When you agree to your information being used in research, however, some of those rights may be limited in order for the research to be reliable and accurate. Further information about your rights with respect to your personal data is available at: <https://compliance.web.ox.ac.uk/individual-rights>

Involvement of the General Practitioner (GP)/Family doctor (GP)

In order to enrol into this study, you will be required to sign a form documenting that you consent for us to contact your GP. This is to inform them that you are interested in being involved in the study, and to check there are no medical reasons that they are aware of that would make your participation inadvisable. Your GP may be asked to share information about your medical history and give access to any other medical records as required. The researchers will not enrol you in the trial if your GP has relevant concerns about your eligibility or safety. We will write to your GP to let them know about your enrolment and study completion status, so they can update your medical records accordingly.

If you have up to date copies of your medical records or GP summary records please bring these to your screening visit.

What will happen to any samples I give?

If you consent, some of your leftover blood samples can be stored and used for future infectious disease or vaccine-related research. This is optional; your participation in this study will not be affected by your decision whether to allow storage and future use of your leftover samples. Upon your request at any time, your remaining blood samples will be destroyed.

To avoid repeat testing, if you are not enrolled into this study and you apply to enter another study conducted by Aneurin Bevan University Health Board based at St Woolos Hospital, the results from your screening visit blood tests may be used to determine whether you are eligible for the trial you applied for.

Your study samples will be analysed in the Royal Gwent Hospital laboratories, Oxford University research laboratories or other specialist laboratories. Other tests to look at the response of your body to the vaccine or to COVID-19 will be done with collaborating laboratories in the UK and in other countries, including the United States. Any samples or data sent to them would not include information that identifies you.

Your weekly swab tests for COVID-19 will be performed in partnership with the Department of Health and Social Care national community testing programme.

Will any genetic tests be done?

We may do genetic tests on your blood samples to look at the patterns of genes that regulate your own individual immune response (these are called Human Leukocyte Antigen genes). Doing this helps us to work out which aspects of the immune response to vaccines are due to genetic differences between individuals. We may also look at the expression of certain genes which relate specifically to the immune response to COVID-19, but no genetic tests concerning diseases or conditions other than COVID-19 and other vaccine related responses.

What will happen to the results of the research study?

The results of this research study may be presented at scientific meetings or conferences and published in a scientific medical journal. This may not happen until 1 or 2 years after the study is completed. If you contact the researchers in the future, you can obtain a copy of the results. You will not be identified in any report or publication.

The de-identified data from this study will be shared with the collaborating partners who are organising and funding this research work. Data from this study may be used to file patents, licence vaccines in the future or make profits in other ways. You will not be paid for any part of this. Data from this study may be used as part of a student post-graduate degree, for example a MD or PhD.

Taking part in future vaccine-related research

With your consent, we would like to keep your contact details after your participation in this study is complete, so we may inform you of opportunities to participate in future vaccine-related research. This is entirely optional and your participation in this study will not be affected by your decision to allow or not allow storage of your contact details beyond your participation in this trial.

Your details will be stored electronically on a secure server and only authorised individuals at St Woolos Hospital will have access to it. We will not, under any circumstances, share your contact details with any third party institutions without your permission. Being contacted does not oblige you to agree to take part in future research and you can ask us to have your contact details removed from our database at any time.

Who is sponsoring, organising and funding the research?

The study is organised and sponsored by the University of Oxford. The study is funded through financial support to the University of Oxford from the National Institute for Health Research

(NIHR), which is a UK government funded research agency. Neither your GP nor the researchers are paid for recruiting you into this study.

Who has reviewed the study?

This study has been reviewed by the NHS Research Ethics Service (RES) – South Central – Berkshire and has been given a favourable ethical opinion. The Medicines and Healthcare products Regulatory Agency (MHRA), which regulates the use of all medicines in the UK, has reviewed the study design and has granted permission to use this unlicensed vaccine in this clinical study.

Further information and contact details

If you have to relocate during the course of the study and would like to continue taking part, it may be possible if there is a study site nearby that are able to perform the remainder of your study visits. If this were the case we may transfer copies of your research notes including consent forms. The responsibility for your continued care in the study would be transferred to the new study site.

We hope this information sheet has answered all of your questions. If you would like further information about participating in research please visit the following website: <http://www.nhs.uk/conditions/Clinical-trials/Pages/Introduction.aspx>. For independent advice about participating in this trial you may wish to contact your GP. If you would like to speak to one of our team members to discuss any aspect of this trial or **if you are interested in taking part in the study, please contact us:**

Clinical Research and Innovation Centre
St Woolos Hospital
Block C
Stow Hill
Newport
NP20 4SZ

COVIDvaccinefindoutmore@wales.nhs.uk